

UTILITY/ATV/UTV AUX SERIES

AUX1882-6K, AUX2082-6K, AUX2282-7K, & AUX2482-7K

TRITON
TRAILERS



AUX1882-6K

STANDARD FEATURES

- > All-Aluminum Construction
- > Beavertail Design
- > Torsion Ride Suspension
- > EBX1
- > (4) HD D-Rings
- > HD Bifold Ramp
- > Aluminum Decking
- > Sealed LED Lights and Wiring
- > Unlimited Tie-Down Points
- > Tongue Jack
- > Tongue Design
- > Tough Molded Fenders
- > Side or Rear Loading Options
- > 5-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	AUX1882-6K FRAME ASSEMBLY ONLY	82"X216"	82"X216"	82"X216"	82"X216"	82"X216"
Model Number	AUX1882-6K-FRAME	AUX1882-6K-SM	AUX1882-6K-SM2	AUX1882-6K-SM3	AUX1882-6K-A	AUX1882-6K-A2
Subframe	2"x5"	2"x5"	2"x5"	2"x5"	2"x5"	2"x5"
Floor Crossmembers	2"x2"	2"x2"	2"x2"	2"x2"	2"x2"	2"x2"
Deck (WxL)	81.25"x216"	81.25"x216"	81.25"x216"	81.25"x216"	81.25"x216"	81.25"x216"
Overall (WxL)	102"x270"	102"x270"	102"x270"	102"x270"	102"x270"	102"x270"
Deck Height	23.75"	23.75"	23.75"	23.75"	23.75"	23.75"
Hitch Height	20"	20"	20"	20"	20"	20"
Axle(s) - Qty/Rating	1-3000# Braked, 1-3000# Idler	1-3000# Braked, 1-3000# Idler	1-3000# Braked, 1-3000# Idler	1-3000# Braked, 1-3000# Idler	1-3000# Braked, 1-3000# Idler	1-3000# Braked, 1-3000# Idler
GVWR	6000#	6000#	6000#	6000#	6000#	6000#
Wheels	--	14" Silver Mods	14" Silver Mods	15" Silver Mods	14" Aluminum	15" Aluminum
Tires	--	ST205/75D14C	ST205/75R14C	ST205/75D15C	ST205/75R14C	ST205/75R15C
Power Connection	7-Way Round	7-Way Round	7-Way Round	7-Way Round	7-Way Round	7-Way Round
Coupler Rating/Ball Size	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"
Jack	1500# Tongue	1500# Tongue	1500# Tongue	1500# Tongue	1500# Tongue	1500# Tongue
Safety Chains	(2) 18,000#	(2) 18,000#	(2) 18,000#	(2) 18,000#	(2) 18,000#	(2) 18,000#
Curb Weight	1338#	1338#	1338#	1338#	1338#	1338#
Payload	4662#	4662#	4662#	4662#	4662#	4662#
Ramp Standard	Yes	Yes	Yes	Yes	Yes	Yes
Tilt Bed	No	No	No	No	No	
Carrying Capacity w/o Brakes (lb.)	N/A	N/A	N/A	N/A	N/A	N/A
GVWR w/o Brakes (lb.)	N/A	N/A	N/A	N/A	N/A	N/A
Carrying Capacity w/ Brakes (lb.)	4,662 lb	4,662 lb	4,662 lb	4,662 lb	4,662 lb	4,662 lb
GVWR with Brakes (lb.)	6,000 lb	6,000 lb	6,000 lb	6,000 lb	6,000 lb	6,000 lb
Loading Style	Side/Rear	Side/Rear	Side/Rear	Side/Rear	Side/Rear	Side/Rear
Tie Downs	4	4	4	4	4	4
Brake Options	STD. 1-ELEC	STD. 1-ELEC	STD. 1-ELEC	STD. 1-ELEC	STD. 1-ELEC	STD. 1-ELEC

AUX1882-6K *continued***OPTIONS & ACCESSORIES**

Ramp Options	Add-On Accessories (continued)
Kit, AUX Stoneguard Ramps	Kit, Ramp Channel BVR
Kit, AUX HDL Ramp	Quickslide Wheel Chock Kit **N/A on Plank Models**
Kit, HD Stoneguard Ramp AUX (Use with #19266)	3/8" Tie Down Kit (4 pcs)
Add-On Accessories	3/8" D-Ring Tie Down Kit (4 pcs)
Kit, Quickslide Tie Down - Eyebolt (2 PCS)	Electric Winch Kit, Hauler (Battery, Customer Supplied)
Kit, Quickslide Tie Down - Flush Mount (2 PCS)	Kit, Wheel Stop, Hauler (Pair)
Wheel Chock Kit	Kit, Carriage Bolt Tie Down - D-Ring 5/16" (2 PCS)
Wheel Stop Kit, AUX82	Kit, Utility Box AUX
Kit, Wheel Stop Tilt 82	Spare Tire Carrier Kit (On Tongue)

AUX2082-6K

STANDARD FEATURES

- > All-Aluminum Construction
- > Beavertail Design
- > Torsion Ride Suspension
- > EBX1
- > (4) HD D-Rings
- > HD Bifold Ramp
- > Aluminum Decking
- > Sealed LED Lights and Wiring
- > Unlimited Tie-Down Points
- > Tongue Jack
- > Tongue Design
- > Tough Molded Fenders
- > Side or Rear Loading Options
- > 5-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	AUX2082-6K FRAME ASSEMBLY ONLY	82"X240"	82"X240"	82"X240"	82"X240"	82"X240"
Model Number	AUX2082-6K-FRAME	AUX2082-6K-SM	AUX2082-6K-SM2	AUX2082-6K-SM3	AUX2082-6K-A	AUX2082-6K-A2
Subframe	2"x5"	2"x5"	2"x5"	2"x5"	2"x5"	2"x5"
Floor Crossmembers	2"x2"	2"x2"	2"x2"	2"x2"	2"x2"	2"x2"
Deck (WxL)	81.25"x240"	81.25"x240"	81.25"x240"	81.25"x240"	81.25"x240"	81.25"x240"
Overall (WxL)	102"x294"	102"x294"	102"x294"	102"x294"	102"x294"	102"x294"
Deck Height	23.75"	23.75"	23.75"	23.75"	23.75"	23.75"
Hitch Height	20"	20"	20"	20"	20"	20"
Axle(s) - Qty/Rating	1-3000# Braked, 1-3000# Idler	1-3000# Braked, 1-3000# Idler	1-3000# Braked, 1-3000# Idler	1-3000# Braked, 1-3000# Idler	1-3000# Braked, 1-3000# Idler	1-3000# Braked, 1-3000# Idler
GVWR	6000#	6000#	6000#	6000#	6000#	6000#
Wheels	--	14" Silver Mods	14" Silver Mods	15" Silver Mods	14" Aluminum	15" Aluminum
Tires	--	ST205/75D14C	ST205/75R14C	ST205/75D15C	ST205/75R14C	ST205/75R15C
Power Connection	7-Way Round	7-Way Round	7-Way Round	7-Way Round	7-Way Round	7-Way Round
Coupler Rating/Ball Size	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"
Jack	1500# Tongue	1500# Tongue	1500# Tongue	1500# Tongue	1500# Tongue	1500# Tongue
Safety Chains	(2) 18,000#	(2) 18,000#	(2) 18,000#	(2) 18,000#	(2) 18,000#	(2) 18,000#
Curb Weight	1400#	1400#	1400#	1400#	1400#	1400#
Payload	4600#	4600#	4600#	4600#	4600#	4600#
Ramp Standard	Yes	Yes	Yes	Yes	Yes	Yes
Tilt Bed	No	No	No	No	No	
Carrying Capacity w/o Brakes (lb.)	N/A	N/A	N/A	N/A	N/A	N/A
GVWR w/o Brakes (lb.)	N/A	N/A	N/A	N/A	N/A	N/A
Carrying Capacity w/ Brakes (lb.)	4,600 lb	4,600 lb	4,600 lb	4,600 lb	4,600 lb	4,600 lb
GVWR with Brakes (lb.)	6,000 lb	6,000 lb	6,000 lb	6,000 lb	6,000 lb	6,000 lb
Loading Style	Side/Rear	Side/Rear	Side/Rear	Side/Rear	Side/Rear	Side/Rear
Tie Downs	4	4	4	4	4	4
Brake Options	STD. 1-ELEC	STD. 1-ELEC	STD. 1-ELEC	STD. 1-ELEC	STD. 1-ELEC	STD. 1-ELEC

OPTIONS & ACCESSORIES

Axle Options	Add-On Accessories (continued)
Electric Drum Brakes on Second Axle	Quickslide Wheel Chock Kit **N/A on Plank Models**
Ramp Options	3/8" Tie Down Kit (4 pcs)
Kit, AUX Stoneguard Ramps	3/8" D-Ring Tie Down Kit (4 pcs)
Kit, AUX HDL Ramp	Electric Winch Kit, Hauler (Battery, Customer Supplied)
Kit, HD Stoneguard Ramp AUX (Use with #19266)	Kit, Wheel Stop, Hauler (Pair)
Add On-Accessories	Kit, Carriage Bolt Tie Down - D-Ring 5/16" (2 PCS)
Kit, Quickslide Tie Down - Eyebolt (2 PCS)	Kit, Utility Box AUX
Kit, Quickslide Tie Down - Flush Mount (2 PCS)	Spare Tire Carrier Kit (On Tongue)
Wheel Chock Kit	Kit, Wheel Stop Tilt 82
Wheel Stop Kit, AUX82	Kit, Ramp Channel BVR

AUX2282-7K

STANDARD FEATURES

- > All-Aluminum Construction
- > Beavertail Design
- > Torsion Ride Suspension
- > EBX2
- > (4) HD D-Rings
- > HD Bifold Ramp
- > Aluminum Decking
- > Sealed LED Lights and Wiring
- > Unlimited Tie-Down Points
- > Tongue Jack
- > Tongue Design
- > Tough Molded Fenders
- > Side or Rear Loading Options
- > 5-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	AUX2282-7K FRAME ASSEMBLY ONLY	82"X264"	82"X264"	82"X264"	82"X264"	82"X264"
Model Number	AUX2282-7K-FRAME	AUX2282-7K-SM	AUX2282-7K-SM2	AUX2282-7K-SM3	AUX2282-7K-A	AUX2282-7K-A2
Subframe	2"x5"	2"x5"	2"x5"	2"x5"	2"x5"	2"x5"
Floor Crossmembers	1-3/4"x3-1/4"	1-3/4"x3-1/4"	1-3/4"x3-1/4"	1-3/4"x3-1/4"	1-3/4"x3-1/4"	1-3/4"x3-1/4"
Deck (WxL)	81.25"x264"	81.25"x264"	81.25"x264"	81.25"x264"	81.25"x264"	81.25"x264"
Overall (WxL)	102"x318"	102"x318"	102"x318"	102"x318"	102"x318"	102"x318"
Deck Height	23.75"	23.75"	23.75"	23.75"	23.75"	23.75"
Hitch Height	20"	20"	20"	20"	20"	20"
Axle(s) - Qty/Rating	2-3750# Braked	2-3750# Braked	2-3750# Braked	2-3750# Braked	2-3750# Braked	2-3750# Braked
GVWR	7000#	7000#	7000#	7000#	7000#	7000#
Wheels	--	14" Silver Mods	14" Silver Mods	15" Silver Mods	14" Aluminum	15" Aluminum
Tires	--	ST205/75D14C	ST205/75R14C	ST205/75D15C	ST205/75R14C	ST205/75R15C
Power Connection	7-Way Round	7-Way Round	7-Way Round	7-Way Round	7-Way Round	7-Way Round
Coupler Rating/Ball Size	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"
Jack	5000# Tongue	5000# Tongue	5000# Tongue	5000# Tongue	5000# Tongue	5000# Tongue
Safety Chains	(2) 18,000#	(2) 18,000#	(2) 18,000#	(2) 18,000#	(2) 18,000#	(2) 18,000#
Curb Weight	1502#	1502#	1502#	1502#	1502#	1502#
Payload	5498#	5498#	5498#	5498#	5498#	5498#
Ramp Standard	Yes	Yes	Yes	Yes	Yes	Yes
Tilt Bed	No	No	No	No	No	No
Carrying Capacity w/o Brakes (lb.)	N/A	N/A	N/A	N/A	N/A	N/A
GVWR w/o Brakes (lb.)	N/A	N/A	N/A	N/A	N/A	N/A
Carrying Capacity w/ Brakes (lb.)	5,498 lb	5,498 lb	5,498 lb	5,498 lb	5,498 lb	5,498 lb
GVWR with Brakes (lb.)	7,000 lb	7,000 lb	7,000 lb	7,000 lb	7,000 lb	7,000 lb
Loading Style	Side/Rear	Side/Rear	Side/Rear	Side/Rear	Side/Rear	Side/Rear
Tie Downs	4	4	4	4	4	4
Brake Options	STD. 2-ELEC	STD. 2-ELEC	STD. 2-ELEC	STD. 2-ELEC	STD. 2-ELEC	STD. 2-ELEC

OPTIONS & ACCESSORIES

Ramp Options	Add-On Accessories (continued)
Kit, AUX Stoneguard Ramps	Kit, Ramp Channel BVR
Kit, AUX HDL Ramp	Quickslide Wheel Chock Kit **N/A on Plank Models**
Kit, HD Stoneguard Ramp AUX (Use with #19266)	3/8" Tie Down Kit (4 pcs)
Add On-Accessories	3/8" D-Ring Tie Down Kit (4 pcs)
Kit, Quickslide Tie Down - Eyebolt (2 PCS)	Electric Winch Kit, Hauler (Battery, Customer Supplied)
Kit, Quickslide Tie Down - Flush Mount (2 PCS)	Kit, Wheel Stop, Hauler (Pair)
Wheel Chock Kit	Kit, Carriage Bolt Tie Down - D-Ring 5/16" (2 PCS)
Wheel Stop Kit, AUX82	Storage Box AUX Beavertail
Kit, Wheel Stop Tilt 82	Spare Tire Carrier Kit (On Tongue)

AUX2482-7K

STANDARD FEATURES

- > All-Aluminum Construction
- > Beavertail Design
- > Torsion Ride Suspension
- > EBX2
- > (4) HD D-Rings
- > HD Bifold Ramp
- > Aluminum Decking
- > Sealed LED Lights and Wiring
- > Unlimited Tie-Down Points
- > Tongue Jack
- > Tongue Design
- > Tough Molded Fenders
- > Side or Rear Loading Options
- > 5-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	AUX2482-7K FRAME ASSEMBLY ONLY	82"X288"	82"X288"	82"X288"	82"X288"	82"X288"
Model Number	AUX2482-7K-FRAME	AUX2482-7K-SM	AUX2482-7K-SM2	AUX2482-7K-SM3	AUX2482-7K-A	AUX2482-7K-A2
Subframe	2"x5"	2"x5"	2"x5"	2"x5"	2"x5"	2"x5"
Floor Crossmembers	1-3/4"x3-1/4"	1-3/4"x3-1/4"	1-3/4"x3-1/4"	1-3/4"x3-1/4"	1-3/4"x3-1/4"	1-3/4"x3-1/4"
Deck (WxL)	81.25"x288"	81.25"x288"	81.25"x288"	81.25"x288"	81.25"x288"	81.25"x288"
Overall (WxL)	102"x342"	102"x342"	102"x342"	102"x342"	102"x342"	102"x342"
Deck Height	23.75"	23.75"	23.75"	23.75"	23.75"	23.75"
Hitch Height	20"	20"	20"	20"	20"	20"
Axle(s) - Qty/Rating	2-3750# Braked	2-3750# Braked	2-3750# Braked	2-3750# Braked	2-3750# Braked	2-3750# Braked
GVWR	7000#	7000#	7000#	7000#	7000#	7000#
Wheels	--	14" Silver Mods	14" Silver Mods	15" Silver Mods	14" Aluminum	15" Aluminum
Tires	--	ST205/75D14C	ST205/75R14C	ST205/75D15C	ST205/75R14C	ST205/75R15C
Power Connection	7-Way Round	7-Way Round	7-Way Round	7-Way Round	7-Way Round	7-Way Round
Coupler Rating/Ball Size	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"
Jack	5000# Tongue	5000# Tongue	5000# Tongue	5000# Tongue	5000# Tongue	5000# Tongue
Safety Chains	(2) 18,000#	(2) 18,000#	(2) 18,000#	(2) 18,000#	(2) 18,000#	(2) 18,000#
Curb Weight	1557#	1557#	1557#	1557#	1557#	1557#
Payload	5433#	5433#	5433#	5433#	5433#	5433#
Ramp Standard	Yes	Yes	Yes	Yes	Yes	Yes
Tilt Bed	No	No	No	No	No	No
Carrying Capacity w/o Brakes (lb.)	N/A	N/A	N/A	N/A	N/A	N/A
GVWR w/o Brakes (lb.)	N/A	N/A	N/A	N/A	N/A	N/A
Carrying Capacity w/ Brakes (lb.)	5,443 lb	5,443 lb	5,443 lb	5,443 lb	5,443 lb	5,443 lb
GVWR with Brakes (lb.)	7,000 lb	7,000 lb	7,000 lb	7,000 lb	7,000 lb	7,000 lb
Loading Style	Side/Rear	Side/Rear	Side/Rear	Side/Rear	Side/Rear	Side/Rear
Tie Downs	4	4	4	4	4	4
Brake Options	STD. 2-ELEC	STD. 2-ELEC	STD. 2-ELEC	STD. 2-ELEC	STD. 2-ELEC	STD. 2-ELEC

OPTIONS & ACCESSORIES

Ramp Options	Add-On Accessories (continued)
Kit, AUX Stoneguard Ramps	Kit, Ramp Channel BVR
Kit, AUX HDL Ramp	Quickslide Wheel Chock Kit **N/A on Plank Models**
Kit, HD Stoneguard Ramp AUX (Use with #19266)	3/8" Tie Down Kit (4 pcs)
Add On-Accessories	3/8" D-Ring Tie Down Kit (4 pcs)
Kit, Quickslide Tie Down - Eyebolt (2 PCS)	Electric Winch Kit, Hauler (Battery, Customer Supplied)
Kit, Quickslide Tie Down - Flush Mount (2 PCS)	Kit, Wheel Stop, Hauler (Pair)
Wheel Chock Kit	Kit, Carriage Bolt Tie Down - D-Ring 5/16" (2 PCS)
Wheel Stop Kit, AUX82	Storage Box AUX Beavertail
Kit, Wheel Stop Tilt 82	Spare Tire Carrier Kit (On Tongue)

ADDITIONAL UTILITY OPTIONS

FIT SERIES ACCESSORIES

Tongue Jack

Quickslide Wheel Chock Kit (N/A Plank Models)

Kit, Carriage Bolt Tie Down - D-Ring 5/16" (2 PCS)

Kit, Quickslide Tie Down - Eyebolt (2 PCS)

FIT 64" SERIES ACCESSORIES

Kit, Wheel Stop 64

Kit, Side Rail 864 (Order with Wheel Stop 22359-64)

Kit, Side Rail 1064 (Order with Wheel Stop 22359-64)

Kit, Solid Front 64

Kit, Solid Front and Fence-Style Side 864

FIT 72" SERIES ACCESSORIES

Kit, Wheel Stop 72

Kit, Side Rail 1072 (Order with Wheel Stop 22359-72)

Kit, Side Rail 1272 (Order with Wheel Stop 22359-72)

Kit, Side Rail 1472 (Order with Wheel Stop 22359-72)

Kit, Solid Front 72

Kit, Solid Front and Fence-Style Side 1072

Kit, Solid Front and Fence-Style Side 1272

FIT 81" SERIES ACCESSORIES

Kit, Wheel Stop 81

Kit, Side Rail 1281 (Order with Wheel Stop 22359-81)

Kit, Side Rail 1481 (Order with Wheel Stop 22359-81)

Kit, Side Rail 1681 (Order with Wheel Stop 22359-81)

Kit, Solid Front 81

Kit, Solid Front and Fence-Style Side 1281

Kit, Solid Front and Fence-Style Side 1481

FIT TILT SERIES ACCESSORIES

Quickslide Tie Down Eyebolt Kit (1 Pair)

Quickslide Tie Down Kit (1 Pair)

3/8" Tie Down Kit (4 PCS)

3/8" D-Ring Tie Down Kit (4 PCS)

Kit, Wheel Stop 81

Wheel Stop Kit, Tilt72 (6" Above Deck)

Spare Tire Carrier Kit

Tall Stone Guard Kit, Tilt72 (Use With #16789)

FIT SERIES ACCESSORIES (CONTINUED)

Kit, Quickslide Tie Down - Flush Mount (2 PCS)

Kit, Quickslide Tie Down - D-Ring 5/16" (2 PCS)

Kit, Quickslide Tie Down - D-Ring 3/8" (2 PCS)

Kit, Spare Tire Carrier

FIT 64" SERIES ACCESSORIES (CONTINUED)

Kit, Solid Front and Fence-Style Side 1064

Kit, Short Solid Front and Side 864

Kit, Short Solid Front and Side 1064

Kit, Tall Solid Front and Side 864

Kit, Tall Solid Front and Side 1064

FIT 72" SERIES ACCESSORIES (CONTINUED)

Kit, Solid Front and Fence-Style Side 1472

Kit, Short Solid Front and Side 1072

Kit, Short Solid Front and Side 1272

Kit, Short Solid Front and Side 1472

Kit, Tall Solid Front and Side 1072

Kit, Tall Solid Front and Side 1272

Kit, Tall Solid Front and Side 1472

FIT 81" SERIES ACCESSORIES (CONTINUED)

Kit, Solid Front and Fence-Style Side 1681

Kit, Short Solid Front and Side 1281

Kit, Short Solid Front and Side 1481

Kit, Short Solid Front and Side 1681

Kit, Tall Solid Front and Side 1281

Kit, Tall Solid Front and Side 1481

Kit, Tall Solid Front and Side 1681

FIT TILT SERIES ACCESSORIES (CONTINUED)

Tall Stone Guard Kit, Tilt82 (Use With #19486)

Tall Single Side Rail Kit, Tilt1072 (Use With #16789)

Tall Single Side Rail Kit, Tilt1282 (Use With #19486)

Tall Single Side Rail Kit, Tilt1482 (Use With #19486)

Side Kit, Tilt1072

Side Kit, Tilt1282 - Includes #18607 Corner Post & 11242 Pockets

Side Kit, Tilt1482 - Includes #18607 Corner Post & 11242 Pockets

ADDITIONAL UTILITY OPTIONS CONTINUED

AUX SERIES ACCESSORIES

Quickslide Tie Down - Eyebolt

Quick Slide Tie Down

Wheel Chock Kit

Quickslide Wheel Chock Kit

3/8" D-Ring Tie Down Kit (4 PCS)

Electric Winch Kit, Hauser (Battery Not Included)

3/8" 5000# Tie Down Kit (2 PCS)

AUX SERIES ACCESSORIES (CONTINUED)

HD Bi-Fold Ramp AUX

Kit, Utility Box AUX

Spare Tire Carrier Kit

HD Long Bi-Fold Ramp w/HD Ramp Arm Kit

Kit, Wheel Stop 81

Kit, HD Twin Ramp (Front Mount) (Use With #19266)

ADDITIONAL LIGHT OPTIONS

DESCRIPTION
Light, 2 1/2" Round Amber Clearance
Light, 2 1/2" Round Red Clearance
Grommet, 2 1/2" Round
Bracket, License Plate Light Kit
Tail Light, Oval
Bracket, License Plate (Plastic)
Light, 2" Round Red Clearance
Grommet, 2" Round
Lens, Side and Tail - LXT/XTV
Reflector, Amber
Light, 2" Round Amber Clearance
Grommet, Rectangle Clearance Light
Light, Rectangle License Plate, Clear
Reflector, Red
Grommet, Oval Tail
Light, Rectangle Clearance, Red
Light, Rectangle Clearance, Amber
Tail Light, RH (LXT/XTV/DOP)
Tail Light, LH (LXT/XTV/DOP)
Reflector, Amber - AUT
Light, ID Bar
Light, 2 1/2" Round Red Clearance - WCII
Grommet, 2 1/2" Closed Black
Amber Clearance Light - WAVE (2015)
Red Clearance Light - WAVE (2015)

DESCRIPTION
Light, Rect. Clearance Red - Enc.
Light, Rect. Clearance Amber - Enc.
Bracket, W/180 Bullet - (07846/07847)
LED Light, 2" Round Clearance, Red
LED Light, 2 1/2" Round Clearance, Red
LED Light, 2 1/2" Round Clearance, Amber
LED Light, Oval Tail Light
Light, Clearance Amber STICKON - LXT
Lens, Amber LXT
LED Light, Clearance - 4" Rec. Red - Enc.
LED Light, Clearance - 4" Rec. Amber - Enc.
LED Light, Clearance - 2 1/2" Rec. Red - Enc.
LED Light, Clearance - 2 1/2" Red - Super 10
LED Light, Clearance - 2" Round, Amber
LED Light, Clearance Rect., Amber
Light, Halogen
Light, Fender Clearance Combo
LED Light, License Plate
LED Light, Round White Flush Mount
LED Tail Light, Bar w/Reflex
LED Marker Light, Bullet Red W/Grom
LED Marker Light, Bullet Amber W/Grom
Tail Light Bar LED - Vault/Enc.
LED, CID Bar
Tail Light Oval LED - WAVE

ADDITIONAL TIRE OPTIONS

DESCRIPTION

Tire & Wheel, 18.5X8C Silver

Tire & Wheel, 20.5X10C Silver

Tire & Wheel, ST175/80D13C Silver

Tire & Wheel, 4.80X8C Silver

Tire & Wheel, 5.30X12C Silver

Tire & Wheel, ST205/75R14 Alum.

Tire & Wheel, 4.80X12C Silver

Tire & Wheel, ST205/75D14 Silver

Tire & Wheel, ST175/80R13D White

Tire & Wheel, 20.5X10E Silver

Tire & Wheel, ST205/75D15C Silver

Tire & Wheel, ST145/R12E Silver

DESCRIPTION

Tire & Wheel, ST175/80R13D Alum.

Tire & Wheel, ST205/75 R15C White

Tire & Wheel, ST145/R12E Alum.

Tire & Wheel, ST225/75R15E Alum.

Tire & Wheel, ST205/75 R-15 D-5 White

Tire & Wheel, ST205/75R-15 D-5 Alum.

Tire & Wheel, ST175/80R13C Silver

Tire & Wheel, ST175/80R13C Alum (use 09475)

Tire & Wheel, ST205/75R14C Silver

Tire & Wheel, ST225/75R15E White

Tire & Wheel, 20.5X10E Alum. Gun Face

Tire & Wheel, 20.5X10E Alum. Gun Inlay

GALVANIZED TIRE/RIMS

Tire & Wheel, ST175/80D13C Galvanized

Tire & Wheel, 5.30X12C Galvanized

Tire & Wheel, 4.80X12C Galvanized

Tire & Wheel, ST145/R12E Galvanized

SPARE PARTS

Spare Tire Mount - U Bolt Style

Spare Tire Carrier

Hardware Kit For #22008 If Not Mounted to Jack

Acorn Lugnut (10/Bag)

Hub Cap End - ABS